



**Yash M. Patel**

Age : 21 Years

Sex : Male

PID : 555



**Sample Collected At:**

125, Shivam Bungalow, S G Road,  
Mumbai

Ref. By: **Dr. Hiren Shah**



Registered on: 02:31 PM 02 Dec, 2X

Collected on: 03:11 PM 02 Dec, 2X

Reported on: 04:35 PM 02 Dec, 2X

## DENGUE FEVER ANTIGEN, NS1

Investigation	Result	Reference Value	Unit
DENGUE FEVER ANTIGEN, NS1, EIA, SERUM ELISA	55.00	High <0.90	Index

### Interpretation :

RESULT IN INDEX	REMARKS
Negative (< 0.90)	No detectable Dengue NS1 antigen. The Result does not rule out Dengue infection. An additional sample should be tested for IgG & IgM serology in 7-14 days.
Equivocal (0.90 - 1.10)	Repeat sample after 1 week
Positive (> 1.10)	Presence of detectable dengue NS1 antigen. Dengue IgG & IgM serology assay should be performed on follow up samples after 5-7 days of onset of fever, to confirm dengue infection.

### Note:

The recommended test is NS1 Antigen by ELISA in the first 5 days of fever. After 7-10 days of fever, the recommended test is Dengue fever antibodies IgG & IgM by ELISA.

### Comments :

Dengue viruses belong to the family Flaviviridae and have 4 subtypes (1-4). Dengue virus is transmitted by the mosquito Aedes aegypti and Aedes albopictus, widely distributed in Tropical and Subtropical areas of the world. Dengue is considered to be the most important arthropod borne viral disease due to the human morbidity and mortality it causes. The disease may be subclinical, self limiting, febrile or may progress to a severe form of Dengue hemorrhagic fever or Dengue shock syndrome.

Thanks for Reference

\*\*\*\*End of Report\*\*\*\*

**Medical Lab Technician**  
(DMLT, BMLT)

**Dr. Payal Shah**  
(MD, Pathologist)

**Dr. Vimal Shah**  
(MD, Pathologist)

