



Yash M. Patel

Age : 21 Years

Sex : Male

PID : 555



Sample Collected At:

125, Shivam Bungalow, S G Road,
Mumbai

Ref. By: **Dr. Hiren Shah**



Registered on: 02:31 PM 02 Dec, 2X

Collected on: 03:11 PM 02 Dec, 2X

Reported on: 04:35 PM 02 Dec, 2X

HIV 1 & 2 ANTIBODIES SCREENING TEST, SERUM

Final Result :	Positive for HIV 1 & 2		
<ul style="list-style-type: none">Advised confirmation by HIV Western Blot (Test Code S063) for HIV-1Advised confirmation at HIV-2 referral laboratory for HIV-2			
Method 1: HIV 1 / 2 & P 24 COMBO TEST (CLIA)			
Index Value	11.00	<1.00	Index
Result	Positive		
Method 2: HIV 1 / 2 BY IMMUNOCHROMATOGRAPHY			
Result	Positive		
Method 3: HIV 1 / 2 BY FLOW THROUGH IMMUNOFILTRATION			
Result			
HIV 1	Positive		
HIV 2	Positive		

Note :

- Positive test result indicates antibody detected against HIV-1/2. It does not differentiate between type of antibody and antigen.
- Negative test result indicates antibody is not detected against HIV- 1/2.
- The indeterminate test result indicates antibodies to HIV-1/2 have been detected in the sample by two of three methods.
- False positive results may be observed in Autoimmune diseases, Alcoholic hepatitis, Primary biliary cirrhosis, Leprosy, Multiple pregnancies, Rheumatoid factor, and due to the presence of heterophile antibodies.
- False-negative results may occur during the window period and during the end stage of the disease.

Thanks for Reference

****End of Report****

H. Patel

Medical Lab Technician

(DMLT, BMLT)

Dr. Payal Shah

Dr. Payal Shah

(MD, Pathologist)

Dr. Vimal Shah

Dr. Vimal Shah

(MD, Pathologist)

