



Yashvi M. Patel

Age : 21 Years

Sex : Female

PID : 556



Sample Collected At:

125, Shivam Bungalow, S G Road,
Mumbai

Ref. By: **Dr. Hiren Shah**



Registered on: 02:31 PM 02 Dec, 2X

Collected on: 03:11 PM 02 Dec, 2X

Reported on: 04:35 PM 02 Dec, 2X

CYTOLOGY, PAP SMEAR EXAMINATION

SPECIMEN: ThinPrep

Cytologic and Molecular Results

PAP DIAGNOSIS:

ATYPICAL SQUAMOUS CELLS OF UNDETERMINED SIGNIFICANCE (ASC-US)

MOLECULAR RESULTS:

HIGH RISK HPV RESULT: *****DETECTED*****

CHLAMYDIA TRACHOMATIS RESULTS: not detected

NEISSERIA GONORRHOEAE RESULTS: not detected

TRICHOMONAS VAGINALIS RESULTS: not detected

Additional Cytologic Findings

SPECIMEN ADEQUACY: Satisfactory for evaluation.

Endocervical/transformation zone component present

The PAP smear is a screening test for cervical cancer with an inherent and irreducible false negative rate, the consequences of which may be minimized by obtaining regular annual PAP smears. Molecular testing was performed with either the APTIMA HPV Assay kit for the 14 high-risk types of HPV 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 66 and 68 (does not discriminate between the 14 high-risk types), APTIMA HPV 16 18/45 Genotype Assay kit, APTIMA Combo 2 (CT/GC) Assay kit, APTIMA Trichomonas vaginalis Assay kit, APTIMA Bacterial Vaginosis Assay kit, APTIMA CV/TV Assay kit for the detection of Candida Species, Candida Glabrata and Trichomonas, and/or the APTIMA Herpes Simplex virus types 1 & 2 Assay kit. All Assays have been FDA approved and are performed according to the manufacturers specifications. The laboratory is regulated under CLIA as qualified to perform high-complexity testing. This test is used for clinical purposes. It should not be regarded as investigational or for research.

Thanks for Reference

****End of Report****

Medical Lab Technician

(DMLT, BMLT)

Dr. Payal Shah

(MD, Pathologist)

Dr. Vimal Shah

(MD, Pathologist)

